## Index

asynchronous excitation, 59 Barbat, A.H., 133 base sliding, 429 behaviour factor, 166 Bermúdez, C.A., 133 bound analysis, 1 brick veneer, 363 bridge abutment, 457 bridges, 59 Bruneau, M., 241 building envelope, 363 Cimellaro, G.P., 241 cladding panels, 363 complete quadratic combination rule, 289 component mode synthesis method, 289 connected buildings, 1 damage, 241 delay in schedule, 399

disaster resilience, 241 displacement-based design, 229 ductility, 323 dynamic earth pressures, 457 dynamic soil-structure interaction, 457

earthquake input energy, 1 earthquake response spectrum, 289 economic constraints, 399 emergency department, 241 energy transfer function, 1 envelope function, 95 evolutionary algorithms, 197

failure, 323 Fotis, A.D., 165

Fragiadakis, M., 197 fragility, 134 frequency-domain analysis, 1 Furuta, H., 399 genetic algorithm, 399 geosynthetics, 429 glass curtain wall, 363 González-Drigo, J.R., 133 Greco, R., 95 hospital, 241 hospital capacity, 241 Hurtado, J.E., 29, 133 infills, 323 Krikos, S.A., 165 Lagaros, N.D., 165 life-cycle cost analysis, 166 light secondary substructure, 289 light-frame wood building, 229 limit states, 134 loss-based design, 229 Marano, C.G., 95 masonry infill wall, 363 Memari, A.M., 363 metamodel, 241 Mitropoulou, Ch.Ch., 165 Monte Carlo simulation, 29 Muscolino, G., 289 Nakatsu, K., 399 NGA database, 95 Nomura, Y., 399

non-classically damped structures, 289 non-conforming, 323 non-linear analysis, 134 non-stationary seismic model, 95 non-structural components, 289

Palmeri, A., 289 Papadrakakis, M., 165 passive structural control, 1 Pei, S., 229 performance-based design, 166, 197 performance-based seismic design, 229 permanent deformation, 429 point estimates, 29 prescriptive design procedures, 166 probabilistic assessment, 134 Psarropoulos, P.N., 429, 457 Pujades, L.G., 133 pushover analysis, 166, 197

random vibration, 29 random vibration theory, 95 reinforced concrete, 323 reinforced concrete buildings, 166 Reinhorn, A.M., 241 reliability based design, 29 reliability-based optimisation, 197 residue theorem, 1 restoration scheduling, 399 retaining wall, 457 robust design, 29

seismic design, 59, 323, 457 seismic distress, 429 seismic performance, 363 seismic response spectra, 95 seismic vulnerability, 134 Sextos, A.G., 59 Sgobba, S., 95 slope stability, 429 spatial variability, 59 Stafford, P.J., 95 steel buildings, 134 stochastic analysis, 134 stochastic simulation, 95 stratified sampling, 29 strength degrading, 134 structural optimization, 166 Takewaki, I., 1 time-domain analysis, 1 time-history analysis, 197, 229 total probability theorem, 29 Tsompanakis, Y., 429 uncertainty, 399 van de Lindt, J.W., 229 wall distress, 457 Zania, V., 429 Zeris, C.A., 323

# **Copyright Permissions**

Unless otherwise stated all figures, diagrams and photographs are by the respective authors of each chapter.

#### Chapter 3

- Table 3.2 is redrawn from A. Sextos, A. Kappos, "Seismic response of bridges under asynchronous excitation and comparison with EC8 design rules", Bulletin of Earthquake Engineering Engineering, 7, 519-545, 2008, with kind permission of Springer Science and Business Media.
- Figure 3.4 is reproduced from A. Sextos, A. Kappos, "Seismic response of bridges under asynchronous excitation and comparison with EC8 design rules", Bulletin of Earthquake Engineering Engineering, 7, 519-545, 2008, with kind permission of Springer Science and Business Media.
- Figure 3.5 is reproduced from A. Sextos, A. Kappos, K. Pitilakis, "Effect of analysis complexity on the calculated ductility demand of RC bridges", 12th European Conference on Earthquake Engineering, London, U.K., 7-13 September, paper 653, 2002.

#### **Chapter 8**

All flowcharts were redrawn re-engineered based on algorithms from their respective cited sources.

#### Chapter 11

- Figure 11.1(a) is repoduced from the EERI and IAEE, "World Housing Encyclopedia: Report No. 13: Housing Report for Cyprus", http://www.worldhousing.net/ with permission.
- Figure 11.1(b) is repoduced from the Greek language Wikipedia article on "Condominium", http://el.wikipedia.org/wiki/Πολυκατοικία
- Figures 11.2(a), 11.2(b), 11.2(c) and 11.2(d) were taken by C. Zeris and are reproduced courtesy of the National Information Service for Earthquake Engineering, EERC, University of California, Berkeley.
- Figure 11.2(f) is reproduced from *M. Free, T. Rosetto, N. Peiris, F. Taucer, B. Zhao, R. Koo, J. Wang, X. Ma, E. Verucci, "The Wenchuan, China earthquake of 12 May 2008", A field report by EEFIT, Institution of Structural Engineers,*

U.K., 2008, with kind permission of EEFIT.

- Figure 11.2(g) is reproduced from D. D'Ayala, M. Free, (Editors), R. Bilham, P. Doyle, R. Evans, P. Greening, R. May, A. Stewart, B. Teymur, D. Vince, "The Kocaeli, Turkey earthquake of 17 August 1999", A field report by EEFIT, Institution of Structural Engineers, U.K., 2003, with kind permission of EEFIT.
- Figure 11.3(a) is reproduced from *R. Hughes, R. Nichols, T. Paul, J. Riding, "The Augusta, Sicily Earthquake of 13 December 1990", A Field Report by EEFIT, Institution of Structural Engineers, U.K., 1990*, with kind permission of EEFIT.
- Figure 11.3(b) is reproduced from A. Pomonis, A. Coburn, S. Ledbetter, "The Vrancea, Romania earthquakes of 30-31 May 1990", A field report by EEFIT, Institution of Structural Engineers, U.K., 1990, with kind permission of EEFIT.
- Figure 11.3(c) is reproduced courtesy of the National Information Service for Earthquake Engineering, EERC, University of California, Berkeley, http://nisee.berkeley.edu/elibrary/Image/S276
- Figure 11.3(d) is reproduced from *M. Maheri*, "*The Manjil, Iran earthquake of 20 June 1990*", *A field report by EEFIT, Institution of Structural Engineers, U.K., 1990*, with kind permission of EEFIT.
- Figures 11.3(e), 11.3(f) and 11.3(g) are reproduced from *T. Rossetto*, *N. Peiris*, *J. Alarcon*, *E. So*, *S. Sargeant*, *C. Libberton*, *E. Verrucci*, *D. Del Re*, *M. Free*, *"The L'Aquila (Italy) Earthquake of 6th April 2009"*, *A field report By EEFIT*, *Institution of Structural Engineers*, *U.K.*, 2009, with kind permission of EEFIT.
- Figure 11.3(h) was taken by V. Bertero and is reproduced courtesy of the National Information Service for Earthquake Engineering, EERC, University of California, Berkeley, http://nisee.berkeley.edu/elibrary/Image/ GoddenJ84

### Chapter 12

- Figure 12.2(a) and 12.2(c) are repoduced from *Earthquake Engineering Research Institute (EERI)*, "Loma Prieta Earthquake Reconnaissance Report", Earthquake Spectra, Supplement to Volume 6, EERI, Oakland, California, 1990, and Earthquake Engineering Research Institute (EERI), "Northridge Earthquake Reconnaissance Report", 2, Earthquake Spectra, Supplement to Volume 11, EERI, Oakland, California, 1996, with kind permission of the Earthquake Engineering Research Institute, Oakland, California, USA.
- Figure 12.2(b) is reprinted from *Building Research Institute (BRI), "A Survey Report for Building Damages Due to the 1995 Hyogo-Ken Nanba Earthquake", Ministry of Construction, 1996* by courtesy of the Director, Department of Research Planning and Management, BRI Japan. (Permit of Document No. 54, 9 March 2010).
- Figures 12.9 are reproduced with kind permission of Sota Glazing Inc., http: //www.sotawall.com
- Figures 12.10(a) are reproduced with kind permission of John DuBois, www. armory.com/~spcecdt

- Figure 12.10(b) was taken by Eduardo Fierro and is reproduced with kind permission of the Earthquake Engineering Research Institute, Oakland, California, USA.
- Figures 12.15 were taken by Jian Zhao and are reproduced with kind permission of the Earthquake Engineering Research Institute, Oakland, California, USA.
- Figure 12.21(left) was taken by Eduardo Fierro and is reproduced with kind permission of the Earthquake Engineering Research Institute, Oakland, California, USA.
- Figure 12.21(right) was taken by Fouad Bendimerad and is reproduced with kind permission of the Earthquake Engineering Research Institute, Oakland, California, USA.

